

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	371	(378/125).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L2	33	(378/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L3	123	(378/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L4	44	(378/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L5	73	(378/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L6	880	(310/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L7	409	(310/265).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L8	2775	(310/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L9	176	(310/271).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56

L10	142	(310/212).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L11	1347	(310/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L12	312	(310/85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L13	326	(310/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L14	32	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same (stainless near steel) same (magnetic ferro\$1magnetic electro\$4magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56
L15	195	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56
L16	163	L15 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	371	(378/125).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L2	33	(378/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L3	123	(378/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L4	44	(378/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L5	73	(378/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L6	880	(310/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L7	409	(310/265).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L8	2775	(310/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L9	176	(310/271).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56

L10	142	(310/212).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L11	1347	(310/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L12	312	(310/85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L13	326	(310/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 17:56
L14	32	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same (stainless near steel) same (magnetic ferro\$1magnetic electro\$4magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56
L15	195	(L1 L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L13) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:05
L16	163	L15 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:56

L19	65	(US-20020117922-\$ or US-20020153802-\$ or US-20030042815-\$ or US-20030107291-\$ or US-20030184185-\$ or US-20030193258-\$ or US-20040119363-\$ or US-20040212269-\$).did. or (US-3733504-\$ or US-3793546-\$ or US-4146809-\$ or US-4311932-\$ or US-4564777-\$ or US-4810918-\$ or US-4843271-\$ or US-4964148-\$ or US-4969172-\$ or US-5056126-\$ or US-5185774-\$ or US-5224142-\$ or US-5345129-\$ or US-5422527-\$ or US-5490198-\$ or US-5506881-\$ or US-5553114-\$ or US-5650680-\$ or US-5691589-\$ or US-5696804-\$ or US-5773909-\$ or US-5798594-\$ or US-5801470-\$ or US-5801478-\$ or US-5831367-\$ or US-5841212-\$).did. or (US-5869915-\$ or US-5881448-\$ or US-5889342-\$ or US-5937508-\$ or US-6060805-\$ or US-6144132-\$ or US-6144720-\$ or US-6198181-\$ or US-6229243-\$ or US-6274962-\$ or US-6291919-\$ or US-6330304-\$ or US-6369478-\$ or US-6390875-\$ or US-6441523-\$ or US-6477236-\$ or US-6480571-\$ or US-6509664-\$ or US-6525444-\$ or US-6538353-\$ or US-6546078-\$ or US-6693990-\$ or US-6703745-\$ or US-6727627-\$ or US-6751842-\$ or US-6759774-\$ or US-6784585-\$).did. or (US-6838798-\$ or US-6858968-\$ or US-6867522-\$ or US-6867525-\$).did.	US-PGPUB; USPAT	OR	ON	2005/04/29 18:05
L20	31	(L19) and ((armature core rotor) same steel same (magnetic ferro\$1magnetic) same (((rotor near can) canned sleeve sheet cover\$4 shield\$4) and (squirrel near cage) slot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 18:06